Revolving Neck Floor squeegee w/Replacement Cassette, 500 mm, , Blue





Ideal for removing water and food debris from all types of flooring, this double-bladed cell rubber squeegee can be used with any Vikan handle. The cassette can be removed easily for cleaning or replacement (Series 77735 or 77739 for replacement blades).

Technical Data

Material Polypropylene Cellular rubber Complies with (EC) 1935/2004 on food contact materials* No Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes FDA compliant raw material (CFR 21) Yes Complies with UK 2019 No. 704 on food contact materials No Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Pat. Pending/Patent No. EP2227129 validated in DK, DE, FR and GB. DE 6020000048400.9 Box Quantity EP2227129 validated in DK, DE, FR and GB. DE 6020000048400.9 Box Quantity per Pallet (80 x 120 x 180-200 cm) 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 480 Pcs. Quantity Per Layer (Pallet) 60 Pcs. Length 500 mm Width 100 mm Height 75 mm Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0016 kg Weight cardboard (Recycling symbol "20" PAP) 0.026 kg Gross Weight 0.35 kg Gross Weight 0.35 kg Max usage temperature (Dishwasher) </th <th>Item Number</th> <th>77633</th>	Item Number	77633
Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes FDA compliant raw material (CFR 21) Yes Complies with UK 2019 No. 704 on food contact materials No Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Pat. Pending/Patent No. EP22277129 validates in DK, DE, FR and GB. DE 602008048400.9 Box Quantity 10 Pcs. Quantity Per Pallet (80 x 120 x 180-200 cm) 480 Pcs Quantity Per Layer (Pallet) 60 Pcs. Length 500 mm Width 100 mm Height 75 mm Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0076 kg Weight cardboard (Recycling symbol "20" PAP) 0.0263 kg Tare total 0.0339 kg Gross Weight 0.0375 M3 Max. cleaning temperature (Dishwasher) 90 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 80 °C Min. usage temperature (non food contact) 80 °C Min. pH-val	Material	
Manufacturing Practice FDA compliant raw material (CFR 21) Yes Complies with UK 2019 No. 704 on food contact materials No Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Pat. Pending/Patent No. EP2227129 validated Disphenol A 602008048400.9 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 480 Pcs Quantity Per Layer (Pallet) 60 Pcs. Length 500 mm Width 100 mm Height 75 mm Net Weight 0.0263 kg Weight Cardboard (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0263 kg Weight cardboard (Recycling symbol "20" PAP) 0.0263 kg Tare total 0.0375 M3 Max. cleaning temperature (Dishwasher) 90 °C Max usage temperature (Dishwasher) 90 °C Max usage temperature (non food contact) 80 °C Min. usage temperature (non food contact) 80 °C Min. usage temperature (non food contact) 90 °C Min. usage temperature	Complies with (EC) 1935/2004 on food contact materials ¹	No
Complies with UK 2019 No. 704 on food contact materials No Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Pat. Pending/Patent No. EP2227129 validated in DK, DE, FR and GB. DE 602008048400.9 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 480 Pcs Quantity Per Layer (Pallet) 60 Pcs. Length 500 mm Width 100 mm Height 75 mm Net Weight 0.32 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0263 kg Weight cardboard (Recycling symbol "20" PAP) 0.0263 kg Tare total 0.0339 kg Gross Weight 0.35 kg Cubik metre 0.00375 M3 Max. cleaning temperature (Dishwasher) 90 °C Max usage temperature (non food contact) 80 °C Min. usage temperature (non food contact) 80 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gti		Yes
Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Pat. Pending/Patent No. EP2227129 validated in DK, DE, FR and GB. DE 602008048400.9 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 480 Pcs Quantity Per Layer (Pallet) 60 Pcs. Length 500 mm Width 100 mm Height 75 mm Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0076 kg Weight cardboard (Recycling symbol "20" PAP) 0.0263 kg Tare total 0.0339 kg Gross Weight 0.35 kg Cubik metre 0.00375 M3 Max. cleaning temperature (Dishwasher) 90 °C Max usage temperature (non food contact) 80 °C Min. usage temperatures 20 °C Min. usage temperature 2 pH Max. pH-value in usage concentration 10.5 pH Gtin-13 Number 5705020776335 GTIN-14 Number (Box quantity) 15705020776335 Customs Tariff No. <th< th=""><th>FDA compliant raw material (CFR 21)</th><th>Yes</th></th<>	FDA compliant raw material (CFR 21)	Yes
Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Pat. Pending/Patent No. EP2227129 validated in DK, DE, FR and GB. DE 602008048400.9 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 480 Pcs Quantity Per Layer (Pallet) 60 Pcs. Length 500 mm Width 100 mm Height 75 mm Net Weight 0.32 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0076 kg Weight cardboard (Recycling symbol "20" PAP) 0.0263 kg Tare total 0.0339 kg Gross Weight 0.35 kg Cubik metre 0.00375 M3 Max. cleaning temperature (Dishwasher) 90 °C Max usage temperature (food contact) 80 °C Min. usage temperature (non food contact) 80 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 5705020776335 GTIN-14 Number 5705020776332 Customs Tariff No. 96039099	Complies with UK 2019 No. 704 on food contact materials	No
Is Halal and Kosher compliant Yes Pat. Pending/Patent No. EP2227129 validated in DK, DE, FR and GB. DE 602008048400.9 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 480 Pcs Quantity Per Layer (Pallet) 60 Pcs. Length 500 mm Width 100 mm Height 75 mm Net Weight 0.32 kg Weight pag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0076 kg Weight cardboard (Recycling symbol "20" PAP) 0.0263 kg Tare total 0.0339 kg Gross Weight 0.35 kg Cubik metre 0.00375 M3 Max. cleaning temperature (Dishwasher) 90 °C Max usage temperature (food contact) 80 °C Min. usage temperature on food contact) 80 °C Min. usage temperature in usage concentration 2 pH Max. pH-value in usage Concentration 10.5 pH Gtin-13 Number 5705020776335 GTIN-14 Number (Box quantity) 15705020776332 Customs Tariff No. 96039099	Meets the REACH Regulation (EC) No. 1907/2006	Yes
Pat. Pending/Patent No. EP2227129 validated in DK, DE, FR and GB. DE 602008048400.9 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 480 Pcs Quantity Per Layer (Pallet) 60 Pcs. Length 500 mm Width 100 mm Height 75 mm Net Weight 0.32 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0076 kg Weight cardboard (Recycling symbol "20" PAP) 0.0263 kg Tare total 0.0339 kg Gross Weight 0.35 kg Cubik metre 0.00375 M3 Max. cleaning temperature (Dishwasher) 90 °C Max usage temperature (food contact) 80 °C Min. usage temperature (non food contact) 80 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020776335 GTIN-14 Number (Box quantity) 15705020776332 Customs Tariff No. 96039099	Use of phthalates and bisphenol A	No
Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 480 Pcs. Quantity Per Layer (Pallet) 60 Pcs. Length 500 mm Width 100 mm Height 75 mm Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0076 kg Weight cardboard (Recycling symbol "20" PAP) 0.0263 kg Tare total 0.0339 kg Gross Weight 0.35 kg Cubik metre 0.00375 M3 Max. cleaning temperature (Dishwasher) 90 °C Max usage temperature (food contact) 80 °C Min. usage temperatures (non food contact) 80 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020776335 GTIN-14 Number (Box quantity) 15705020776332 Customs Tariff No. 96039099	Is Halal and Kosher compliant	Yes
Quantity per Pallet (80 x 120 x 180-200 cm) 480 Pcs Quantity Per Layer (Pallet) 60 Pcs. Length 500 mm Width 100 mm Height 75 mm Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0076 kg Weight cardboard (Recycling symbol "20" PAP) 0.0263 kg Tare total 0.0339 kg Gross Weight 0.35 kg Cubik metre 0.00375 M3 Max. cleaning temperature (Dishwasher) 90 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 80 °C Min. usage temperature³ -20 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020776335 GtIN-14 Number (Box quantity) 15705020776332 Customs Tariff No. 96039099	Pat. Pending/Patent No.	DK, DE, FR and GB. DE
Quantity Per Layer (Pallet) 60 Pcs. Length 500 mm Width 100 mm Height 75 mm Net Weight 0.32 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0076 kg Weight cardboard (Recycling symbol "20" PAP) 0.0263 kg Tare total 0.0339 kg Gross Weight 0.35 kg Cubik metre 0.00375 M3 Max. cleaning temperature (Dishwasher) 90 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 80 °C Min. usage temperatures -20 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020776335 GTIN-14 Number (Box quantity) 15705020776332 Customs Tariff No. 96039099	Box Quantity	10 Pcs.
Length 500 mm Width 100 mm Height 75 mm Net Weight 0.32 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0076 kg Weight cardboard (Recycling symbol "20" PAP) 0.0263 kg Tare total 0.0339 kg Gross Weight 0.355 kg Cubik metre 0.00375 M3 Max. cleaning temperature (Dishwasher) 90 °C Max usage temperature (food contact) 80 °C Min. usage temperature (non food contact) 80 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020776335 GTIN-14 Number (Box quantity) 15705020776332 Customs Tariff No. 96039099	Quantity per Pallet (80 x 120 x 180-200 cm)	480 Pcs
Width 100 mm Height 75 mm Net Weight 0.32 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0076 kg Weight cardboard (Recycling symbol "20" PAP) 0.0263 kg Tare total 0.0339 kg Gross Weight 0.35 kg Cubik metre 0.00375 M3 Max. cleaning temperature (Dishwasher) 90 °C Max usage temperature (food contact) 80 °C Min. usage temperature (non food contact) 80 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020776335 GTIN-14 Number (Box quantity) 15705020776332 Customs Tariff No. 96039099	Quantity Per Layer (Pallet)	60 Pcs.
Height 75 mm Net Weight 0.32 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0076 kg Weight cardboard (Recycling symbol "20" PAP) 0.0263 kg Tare total 0.0339 kg Gross Weight 0.35 kg Cubik metre 0.00375 M3 Max. cleaning temperature (Dishwasher) 90 °C Max usage temperature (food contact) 80 °C Min. usage temperature (non food contact) 80 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020776335 GTIN-14 Number (Box quantity) 15705020776332 Customs Tariff No. 96039099	Length	500 mm
Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0076 kg Weight cardboard (Recycling symbol "20" PAP) 0.0263 kg Tare total 0.0339 kg Gross Weight 0.35 kg Cubik metre 0.00375 M3 Max. cleaning temperature (Dishwasher) 90 °C Max usage temperature (food contact) 80 °C Min. usage temperature (non food contact) 80 °C Min. usage temperature³ -20 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020776335 GTIN-14 Number (Box quantity) 15705020776332 Customs Tariff No. 96039099	Width	100 mm
Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0076 kgWeight cardboard (Recycling symbol "20" PAP)0.0263 kgTare total0.0339 kgGross Weight0.35 kgCubik metre0.00375 M3Max. cleaning temperature (Dishwasher)90 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)80 °CMin. usage temperature³-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020776335GTIN-14 Number (Box quantity)15705020776332Customs Tariff No.96039099	Height	75 mm
Weight cardboard (Recycling symbol "20" PAP) 0.0263 kg Tare total 0.0339 kg Gross Weight 0.35 kg Cubik metre 0.00375 M3 Max. cleaning temperature (Dishwasher) 90 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 80 °C Min. usage temperature³ -20 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020776335 GTIN-14 Number (Box quantity) 15705020776332 Customs Tariff No. 96039099	Net Weight	0.32 kg
Tare total 0.0339 kg Gross Weight 0.35 kg Cubik metre 0.00375 M3 Max. cleaning temperature (Dishwasher) 90 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 80 °C Min. usage temperature³ -20 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020776335 GTIN-14 Number (Box quantity) 15705020776332 Customs Tariff No. 96039099		0.0076 kg
Gross Weight 0.35 kg Cubik metre 0.00375 M3 Max. cleaning temperature (Dishwasher) 90 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 80 °C Min. usage temperature³ -20 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020776335 GTIN-14 Number (Box quantity) 15705020776332 Customs Tariff No. 96039099	Weight cardboard (Recycling symbol "20" PAP)	0.0263 kg
Cubik metre0.00375 M3Max. cleaning temperature (Dishwasher)90 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)80 °CMin. usage temperature³-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020776335GTIN-14 Number (Box quantity)15705020776332Customs Tariff No.96039099	Tare total	0.0339 kg
Max. cleaning temperature (Dishwasher)90 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)80 °CMin. usage temperature³-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020776335GTIN-14 Number (Box quantity)15705020776332Customs Tariff No.96039099	Gross Weight	0.35 kg
Max usage temperature (food contact)80 °CMax usage temperature (non food contact)80 °CMin. usage temperature³-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020776335GTIN-14 Number (Box quantity)15705020776332Customs Tariff No.96039099	Cubik metre	0.00375 M3
Max usage temperature (non food contact)80 °CMin. usage temperature³-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020776335GTIN-14 Number (Box quantity)15705020776332Customs Tariff No.96039099	Max. cleaning temperature (Dishwasher)	90 °C
Min. usage temperature ³ -20 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020776335 GTIN-14 Number (Box quantity) 15705020776332 Customs Tariff No. 96039099	Max usage temperature (food contact)	80 °C
Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020776335 GTIN-14 Number (Box quantity) 15705020776332 Customs Tariff No. 96039099	Max usage temperature (non food contact)	80 °C
Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020776335 GTIN-14 Number (Box quantity) 15705020776332 Customs Tariff No. 96039099	Min. usage temperature ³	-20 °C
Gtin-13 Number 5705020776335 GTIN-14 Number (Box quantity) 15705020776332 Customs Tariff No. 96039099	Min. pH-value in usage concentration	2 pH
GTIN-14 Number (Box quantity) 15705020776332 Customs Tariff No. 96039099	Max. pH-value in Usage Concentration	10.5 pH
Customs Tariff No. 96039099	Gtin-13 Number	5705020776335
	GTIN-14 Number (Box quantity)	15705020776332
Country of origin Denmark	Customs Tariff No.	96039099
	Country of origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its

intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

3. Do not store the product below 0° Celsius.