Wall-/Floor Washing Brush, 305 mm, Hard, Pink





This Washing Brush is ideal for cleaning tiled floors in food preparation areas. Can be used with any Vikan handle.

Technical Data

Adaterial Complies with (EC) 1935/2004 on food contact materials¹ Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice FDA compliant raw material (CFR 21) Complies with UK 2019 No. 704 on food contact materials Meets the REACH Regulation (EC) No. 1907/2006 Use of phthalates and bisphenol A Is Halal and Kosher compliant BOX Quantity Quantity per Pallet (80 x 120 x 200 cm) Quantity Per Layer (Pallet) Length Width Height Net Weight Net Weight Neight cardboard Fare total Gross Weight Cubik metre Recommended sterilisation temperature (Autoclave) Max usage temperature (food contact) Max usage temperature (non food contact)	Polypropylene Polyester Stainless Steel (AISI
Complies with (EC) 1935/2004 on food contact materials¹ Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice FDA compliant raw material (CFR 21) Complies with UK 2019 No. 704 on food contact materials Meets the REACH Regulation (EC) No. 1907/2006 Use of phthalates and bisphenol A Is Halal and Kosher compliant Box Quantity Quantity per Pallet (80 x 120 x 200 cm) Quantity Per Layer (Pallet) Length Width Height Net Weight Neight bag (Recycling Symbol "4" Low Density Polyethylene LDPE) Neight cardboard Fare total Gross Weight Cubik metre Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (food contact)	Polyester Stainless Steel (AISI
Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice EDA compliant raw material (CFR 21) Complies with UK 2019 No. 704 on food contact materials Meets the REACH Regulation (EC) No. 1907/2006 Use of phthalates and bisphenol A Is Halal and Kosher compliant Box Quantity Quantity per Pallet (80 x 120 x 200 cm) Quantity Per Layer (Pallet) Length Nidth Height Net Weight Neight bag (Recycling Symbol "4" Low Density Polyethylene LDPE) Neight cardboard Fare total Gross Weight Cubik metre Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact)	Polyester
Manufacturing Practice FDA compliant raw material (CFR 21) Complies with UK 2019 No. 704 on food contact materials Meets the REACH Regulation (EC) No. 1907/2006 Use of phthalates and bisphenol A Is Halal and Kosher compliant Box Quantity Quantity per Pallet (80 x 120 x 200 cm) Quantity Per Layer (Pallet) Length Width Height Neight bag (Recycling Symbol "4" Low Density Polyethylene LDPE) Weight cardboard Fare total Gross Weight Cubik metre Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (food contact)	Yes
Complies with UK 2019 No. 704 on food contact materials Meets the REACH Regulation (EC) No. 1907/2006 Use of phthalates and bisphenol A Is Halal and Kosher compliant Box Quantity Quantity per Pallet (80 x 120 x 200 cm) Quantity Per Layer (Pallet) Length Width Height Net Weight Weight bag (Recycling Symbol "4" Low Density Polyethylene LDPE) Weight cardboard Fare total Gross Weight Cubik metre Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (food contact)	Yes
Meets the REACH Regulation (EC) No. 1907/2006 Jse of phthalates and bisphenol A s Halal and Kosher compliant Box Quantity Quantity per Pallet (80 x 120 x 200 cm) Quantity Per Layer (Pallet) Length Width Height Net Weight Weight bag (Recycling Symbol "4" Low Density Polyethylene LDPE) Weight cardboard Fare total Gross Weight Cubik metre Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (food contact)	Yes
Use of phthalates and bisphenol A s Halal and Kosher compliant Box Quantity Quantity per Pallet (80 x 120 x 200 cm) Quantity Per Layer (Pallet) Length Width Height Net Weight Weight bag (Recycling Symbol "4" Low Density Polyethylene LDPE) Weight cardboard Fare total Gross Weight Cubik metre Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (food contact)	Yes
s Halal and Kosher compliant Box Quantity Quantity per Pallet (80 x 120 x 200 cm) Quantity Per Layer (Pallet) Length Width Height Net Weight Weight bag (Recycling Symbol "4" Low Density Polyethylene LDPE) Weight cardboard Fare total Gross Weight Cubik metre Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (food contact)	Yes
Quantity per Pallet (80 x 120 x 200 cm) Quantity Per Layer (Pallet) Length Width Height Net Weight Weight bag (Recycling Symbol "4" Low Density Polyethylene LDPE) Weight cardboard Fare total Gross Weight Cubik metre Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact)	No
Quantity per Pallet (80 x 120 x 200 cm) Quantity Per Layer (Pallet) Length Width Height Weight Weight bag (Recycling Symbol "4" Low Density Polyethylene LDPE) Weight cardboard Fare total Gross Weight Cubik metre Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (food contact)	Yes
Quantity Per Layer (Pallet) Length Width Height Net Weight Weight bag (Recycling Symbol "4" Low Density Polyethylene LDPE) Weight cardboard Fare total Gross Weight Cubik metre Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact)	16 Pcs.
Length Width Height Net Weight Weight bag (Recycling Symbol "4" Low Density Polyethylene LDPE) Weight cardboard Fare total Gross Weight Cubik metre Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact)	512 Pcs
Width Height Net Weight Weight bag (Recycling Symbol "4" Low Density Polyethylene LDPE) Weight cardboard Fare total Gross Weight Cubik metre Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact)	64 Pcs.
Height Net Weight Weight bag (Recycling Symbol "4" Low Density Polyethylene LDPE) Weight cardboard Fare total Gross Weight Cubik metre Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact)	305 mm
Neight bag (Recycling Symbol "4" Low Density Polyethylene LDPE) Neight cardboard Fare total Gross Weight Cubik metre Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact)	85 mm
Weight bag (Recycling Symbol "4" Low Density Polyethylene LDPE) Weight cardboard Fare total Gross Weight Cubik metre Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact)	110 mm
Veight cardboard Fare total Gross Weight Cubik metre Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact)	0.54 kg
Tare total Gross Weight Cubik metre Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact)	0.0087 kg
Gross Weight Cubik metre Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact)	0.037 kg
Cubik metre Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact)	0.0457 kg
Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact)	0.59 kg
Max. cleaning temperature (Dishwasher) Max usage temperature (food contact)	0.002852 M3
Max usage temperature (food contact)	121 °C
	93 °C
Max usage temperature (non food contact)	80 °C
	100 °C
Min. usage temperature³	-20 °C
Max. drying temperature	100 °C
Min. pH-value in usage concentration	2 pH
Max. pH-value in Usage Concentration	10.5 pH
Gtin-13 Number	5705020706011
GTIN-14 Number (Box quantity)	15705020706018
Customs Tariff No.	96039099

Country of origin Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

3. Do not store the product below 0° Celsius.